

Evaluating Equilibria

**Objective Function
Maximization, Pareto
Efficiency, Notions
of Fairness**



WSU May 12, 2010

© Cognitive Radio Technologies, 2010

1

Optimality

- In general we assume the existence of some design objective function $J:A \rightarrow \mathbb{R}$
- The desirableness of a network state, a , is the value of $J(a)$.
- In general maximizers of J are unrelated to fixed points of d .




Figure from Fig 2.6 in I. Akbar, "Statistical Analysis of Wireless Systems Using Markov Models." PhD Dissertation, Virginia Tech, January 2007

2

Example Functions

- Utilitarian
 - Sum of all players' utilities
 - Product of all players' utilities
- Practical
 - Total system throughput
 - Average SINR
 - Maximum End-to-End Latency
 - Minimal sum system interference
- Objective can be unrelated to utilities

Utilitarian Maximizers

Γ	N	W
n	(9.6,9.6)	(3.2,21)
w	(21,3.2)	(7,7)

System Throughput Maximizers

Γ	N	W
n	(9.6,9.6)	(3.2,21)
w	(21,3.2)	(7,7)

Interference Minimization

Γ	N	W
n	(9.6,9.6)	(3.2,21)
w	(21,3.2)	(7,7)

Price of Anarchy (Factor)

$$\text{PoA} = \frac{\text{Performance of Centralized Algorithm Solution}}{\text{Performance of Distributed Algorithm Solution}}$$

$$\text{PoA} \geq 1$$

- Centralized solution always at least as good as distributed solution
 - Like ASIC is always at least as good as DSP
- Ignores costs of implementing algorithms
 - Sometimes centralized is infeasible (e.g., routing the Internet)
 - Distributed can sometimes (but not generally) be more costly than centralized

Γ	N	W
n	(9.6,9.6)	(3.2,21)
w	(21,3.2)	(7,7)

$$\text{PoA} = \frac{9.6}{7}$$

Price of Anarchy Discussion

- Best of All Possible Worlds
 - Low complexity distributed algorithms with low anarchy factors
- Reality implies mix of methods
 - Hodgepodge of mixed solutions
 - Policy – bounds the price of anarchy
 - Utility adjustments – align distributed solution with centralized solution
 - Market methods – sometimes distributed, sometimes centralized
 - Punishment – sometimes centralized, sometimes distributed, sometimes both
 - Radio environment maps – “centralized” information for distributed decision processes
 - Fully distributed
 - Potential game design – really, the Panglossian solution, but only applies to particular problems




5








Pareto efficiency (optimality)

- **Formal definition:** An action vector a^* is ***Pareto efficient*** if there exists no other action vector a , such that every radio’s valuation of the network is at least as good and at least one radio assigns a higher valuation
- **Informal definition:** An action tuple is ***Pareto efficient*** if some radios must be hurt in order to improve the payoff of other radios.
- **Important note**
 - Like design objective function, unrelated to fixed points (NE)
 - Generally less specific than evaluating design objective function

6

Example Games

Legend  Pareto Efficient
 NE  NE + PE

	a_2	b_2		a_2	b_2
a_1	 1,1	 -5,5	a_1	1,1	 -5,5
b_1	 5,-5	 -1,-1	b_1	 5,-5	 3,3

7


Notions of Fairness

- What is "Fair"?
 - Abstractly "fair" means different things to different analysts
 - In every day life, "unfair" is short hand for "I deserve more than I got"
- Nonetheless is used to evaluate how equitably radio resources are distributed

8

Gini Coefficient

- Basic concept:
 - Order players by utility.
 - Form CDF for sorted utility distribution (Lorenz curve)
 - Integrate (sum) the difference between perfect equality (of outcome) and CDF
 - Divide result by sum of all players' utilities



- Formula

$$G(a) = \frac{1}{n} \left(n+1 - 2 \frac{\sum_{i \in N} (n+1-i) u_i(a)}{\sum_{i \in N} u_i(a)} \right)$$

Γ	N	W
n	(9.6, 9.6)	(3.2, 21)
w	(21, 3.2)	(7, 7)

- Used in a lot of macro-economic comparisons of income distributions
- Relatively simple, independent of scale, independent of size of N , anonymity
- Radically different outcomes can give the same result

G	N	W
n	0	0.37
w	0.37	0

Other Metrics of Fairness

- Theill Index

$$T(a) = \frac{1}{n} \sum_{i \in N} \left(\frac{u_i(a)}{\bar{u}} \ln \frac{u_i(a)}{\bar{u}} \right) \quad \bar{u}(a) = \frac{1}{n} \sum_{i \in N} u_i(a)$$

- Atkinson Index, ε is income inequality aversion

$$T(a) = 1 - \frac{1}{\bar{u}} \left(\frac{1}{n} \sum_{i \in N} u_i(a)^{1-\varepsilon} \right)^{1/(1-\varepsilon)}, \quad \varepsilon \in [0, 1)$$

$$T(a) = 1 - \frac{1}{\bar{u}} \left(\frac{1}{n} \sum_{i \in N} u_i(a) \right)^{1/n}, \quad \varepsilon = 1$$

Bargaining Problem

- Components: $\langle F, v \rangle$
 - Feasible payoffs F , closed convex subset of \mathbb{R}^n
 - Disagreement Point $v = (v_1, v_2)$
 - What 1 or 2 could achieve without bargaining
- Example:
 - Even if system is jammed, still gets some throughput
 - Member of 802.16h interference group and try its luck
- F is said to be *essential* if there is some $y \in F$ such that $y_1 > v_1$ and $y_2 > v_2$
- If contracts are “binding” then F could be the payoffs corresponding to entire original action space
- Otherwise, F may need to be drawn from the set of NE or from enforceable set (see punishment in repeated games)
- A particular solution is referred to by $\phi(F, v) \in \mathbb{R}^n$

11

Desirable Bargaining Axioms about a Solution

- | | |
|--|---|
| <ul style="list-style-type: none"> • Strong Efficiency <ul style="list-style-type: none"> – $\phi(F, v)$ is Pareto Efficient • Individually Rational <ul style="list-style-type: none"> – $\phi(F, v) \geq v$ • Scale Covariance <ul style="list-style-type: none"> – For any $\lambda_1, \lambda_2, \gamma_1, \gamma_2 \in \mathbb{R}, \lambda_1, \lambda_2 > 0$, if $G = \{(\lambda_1 x_1 + \gamma_1, \lambda_2 x_2 + \gamma_2) \mid (x_1, x_2) \in F\}$ <p>then</p> $\phi(G, w) = (\lambda_1 \phi_1(F, v) + \gamma_1, \lambda_2 \phi_2(F, v) + \gamma_2)$ $w = (\lambda_1 v_1 + \gamma_1, \lambda_2 v_2 + \gamma_2)$ | <ul style="list-style-type: none"> • Independence of Irrelevant Alternatives <ul style="list-style-type: none"> – If $G \subseteq F$ and G is closed and convex and $\phi(F, v) \in G$, then $\phi(G, v) = \phi(F, v)$ • Symmetry <ul style="list-style-type: none"> – If $v_1 = v_2$ and $\{(x_1, x_2) \mid (x_2, x_1) \in F\} = F$, then $\phi_1(F, v) = \phi_2(F, v)$ |
|--|---|

12

Nash Bargaining Solution

- NBS

$$\phi(F, v) \in \arg \max_{x \in F, x \geq v} \prod_{i \in N} (x_i - v_i)$$

- Interestingly, this is the only bargaining solution which simultaneously satisfies the preceding 5 axioms

13

GT framework for BW allocation [Yaiche]: System Model

- N users
- L links
- Users compete for the total link capacity
- Each user has a minimum rate MR_i and peak rate PR_i
- Admissible rate vector is given by,

$$X_0 = \left\{ x \in \mathbb{R}^N \mid x \geq MR, x \leq PR, \text{ and } Ax \leq C \right\}$$

C : vector of link capacities

$A_{L \times N}$: $a_{lp} = 1$ if link belongs to path p , else 0.

Scenario given in H. Yaiche, R. Mazumdar, C. Rosenberg, "A game theoretic framework for bandwidth allocation and pricing in broadband networks", IEEE/ACM Transactions on Networking, Volume: 8, Issue: 5, Oct. 2000, pp. 667-678.

Centralized Optimization Problem

- $$\text{Max}_{\{x\}} \prod_{i=1}^N (x_i - MR_i)$$

$$\text{st: } x_i \geq MR_i \quad i \in \{1 \dots N\}$$

$$x_i \leq PR_i \quad i \in \{1 \dots N\}$$

$$(Ax)_l \geq (C)_l \quad l \in \{1 \dots L\}$$
- Unique NBS exists

15

Summary of Equilibria Evaluation

- Lots of different ways which a point can be evaluated
- Many are contradictory
- Loosely, any point could be said to be optimal given the right objective function
- Insufficient to say that a point is optimal
 - Must describe the metric in use
- Suggestion: use whatever metric makes sense to you as a network designer

16